

校对清单

比对基准内容

标注颜色/尺寸

材质

参考编码

	1	2	3	4	5	6																																																																																																																													
A	项目																																																																																																																																		
	库																																																																																																																																		
	文件名																																																																																																																																		
B	<div>裁切线</div> <div>OWNER'S MANUAL - PRODUCT FICHE</div> <div>RELATED OWNER'S MANUAL CODE: CS009UI-MA(B)</div> <table><tr><td>Trade Mark</td><td colspan="4">MIDEA</td></tr><tr><td>Model: Indoor</td><td>MA2-09NXD0-XI</td><td>MA2-12NXD0-XI</td><td>MA2-18NXD0-I</td><td>MA2-24NXD0-I</td></tr><tr><td>Model: Outdoor</td><td>MA-09N8D0-XO</td><td>MA-12N8D0-XO</td><td>MA-18N8D0-O</td><td>MA-24N8D0-O</td></tr><tr><td>Sound power level at standard rating conditions (Indoor/Outdoor) [dB(A)]</td><td>54 /62</td><td>55/63</td><td>58/65</td><td>61/69</td></tr><tr><td>Refrigerant type</td><td>R32</td><td>R32</td><td>R32</td><td>R32</td></tr><tr><td>GWP</td><td>675</td><td>675</td><td>675</td><td>675</td></tr><tr><td>Charge amount [g]</td><td>550</td><td>550</td><td>1000</td><td>1600</td></tr><tr><td>CO2 equivalent [tonnes]</td><td>0.37</td><td>0.37</td><td>0.675</td><td>1.08</td></tr><tr><td>SEER [W/W]</td><td>6.3</td><td>6.1</td><td>6.6</td><td>6.1</td></tr><tr><td>Energy efficiency class in cooling</td><td>A++</td><td>A++</td><td>A++</td><td>A++</td></tr><tr><td>Annual electricity consumption in cooling [1] [kWh/a]</td><td>156</td><td>211</td><td>276</td><td>402</td></tr><tr><td>Design load in cooling mode (Pdesign) [kW]</td><td>2.6</td><td>3.6</td><td>5.2</td><td>7.0</td></tr><tr><td>SCOP (average heating season) [W/W]</td><td>4.0</td><td>4.0</td><td>4.0</td><td>4.0</td></tr><tr><td>Energy efficiency class in heating (average season)</td><td>A+</td><td>A+</td><td>A+</td><td>A+</td></tr><tr><td>Annual electricity consumption in heating (average season) [2] [kWh/a]</td><td>910</td><td>945</td><td>1435</td><td>1645</td></tr><tr><td>Warmer heating season</td><td>Y</td><td>Y</td><td>Y</td><td>Y</td></tr><tr><td>Colder heating season</td><td></td><td></td><td></td><td></td></tr><tr><td>Design load in heating mode (Pdesign) [kW]</td><td>2.6</td><td>2.7</td><td>4.1</td><td>4.7</td></tr><tr><td>Declared capacity at reference design condition (heating average season) [kW]</td><td>1.996</td><td>2.019</td><td>4.100</td><td>4.557</td></tr><tr><td>Back up heating capacity at reference design condition (heating average season) [kW]</td><td>0.604</td><td>0.681</td><td>0.000</td><td>0.143</td></tr><tr><td colspan="5">Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO2 , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional</td></tr><tr><td colspan="5">Contains fluorinated greenhouse gases.</td></tr><tr><td colspan="5">Importer: FG EUROPE SA 128,VOULIAGMENIS AVE 16674 GLYFADA , GREECE</td></tr><tr><td colspan="5">Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311</td></tr><tr><td colspan="5">[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.</td></tr></table> <div>Note: Please check the model information above according to the model name on the nameplate.</div>						Trade Mark	MIDEA				Model: Indoor	MA2-09NXD0-XI	MA2-12NXD0-XI	MA2-18NXD0-I	MA2-24NXD0-I	Model: Outdoor	MA-09N8D0-XO	MA-12N8D0-XO	MA-18N8D0-O	MA-24N8D0-O	Sound power level at standard rating conditions (Indoor/Outdoor) [dB(A)]	54 /62	55/63	58/65	61/69	Refrigerant type	R32	R32	R32	R32	GWP	675	675	675	675	Charge amount [g]	550	550	1000	1600	CO2 equivalent [tonnes]	0.37	0.37	0.675	1.08	SEER [W/W]	6.3	6.1	6.6	6.1	Energy efficiency class in cooling	A++	A++	A++	A++	Annual electricity consumption in cooling [1] [kWh/a]	156	211	276	402	Design load in cooling mode (Pdesign) [kW]	2.6	3.6	5.2	7.0	SCOP (average heating season) [W/W]	4.0	4.0	4.0	4.0	Energy efficiency class in heating (average season)	A+	A+	A+	A+	Annual electricity consumption in heating (average season) [2] [kWh/a]	910	945	1435	1645	Warmer heating season	Y	Y	Y	Y	Colder heating season					Design load in heating mode (Pdesign) [kW]	2.6	2.7	4.1	4.7	Declared capacity at reference design condition (heating average season) [kW]	1.996	2.019	4.100	4.557	Back up heating capacity at reference design condition (heating average season) [kW]	0.604	0.681	0.000	0.143	Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO2 , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional					Contains fluorinated greenhouse gases.					Importer: FG EUROPE SA 128,VOULIAGMENIS AVE 16674 GLYFADA , GREECE					Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311					[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.				
							Trade Mark	MIDEA																																																																																																																											
Model: Indoor	MA2-09NXD0-XI	MA2-12NXD0-XI	MA2-18NXD0-I	MA2-24NXD0-I																																																																																																																															
Model: Outdoor	MA-09N8D0-XO	MA-12N8D0-XO	MA-18N8D0-O	MA-24N8D0-O																																																																																																																															
Sound power level at standard rating conditions (Indoor/Outdoor) [dB(A)]	54 /62	55/63	58/65	61/69																																																																																																																															
Refrigerant type	R32	R32	R32	R32																																																																																																																															
GWP	675	675	675	675																																																																																																																															
Charge amount [g]	550	550	1000	1600																																																																																																																															
CO2 equivalent [tonnes]	0.37	0.37	0.675	1.08																																																																																																																															
SEER [W/W]	6.3	6.1	6.6	6.1																																																																																																																															
Energy efficiency class in cooling	A++	A++	A++	A++																																																																																																																															
Annual electricity consumption in cooling [1] [kWh/a]	156	211	276	402																																																																																																																															
Design load in cooling mode (Pdesign) [kW]	2.6	3.6	5.2	7.0																																																																																																																															
SCOP (average heating season) [W/W]	4.0	4.0	4.0	4.0																																																																																																																															
Energy efficiency class in heating (average season)	A+	A+	A+	A+																																																																																																																															
Annual electricity consumption in heating (average season) [2] [kWh/a]	910	945	1435	1645																																																																																																																															
Warmer heating season	Y	Y	Y	Y																																																																																																																															
Colder heating season																																																																																																																																			
Design load in heating mode (Pdesign) [kW]	2.6	2.7	4.1	4.7																																																																																																																															
Declared capacity at reference design condition (heating average season) [kW]	1.996	2.019	4.100	4.557																																																																																																																															
Back up heating capacity at reference design condition (heating average season) [kW]	0.604	0.681	0.000	0.143																																																																																																																															
Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675]. This means that if 1kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675] times higher than 1kg of CO2 , over a period of 100 years. Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional																																																																																																																																			
Contains fluorinated greenhouse gases.																																																																																																																																			
Importer: FG EUROPE SA 128,VOULIAGMENIS AVE 16674 GLYFADA , GREECE																																																																																																																																			
Manufacturer: GD Midea Air-Conditioning Equipment Co., Ltd. Midea Industrial City, Beijiao, Shunde, Foshan, Guangdong, China, Zip code: 528311																																																																																																																																			
[1] [2] Energy consumption "XYZ" kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.																																																																																																																																			
C																																																																																																																																			
D																																																																																																																																			
E	技术要求(版本号 E, 2017-03)																																																																																																																																		
	1.此为客牌“MIDEA”产品信息卡,为研发全新提供,2018年欧盟新模板。 2.产品信息卡印刷颜色为黑色。 3.该信息卡的幅面大小为：A5,并在背面右下角印刷物料编码。 4.适用于客牌“MIDEA”机型。 5.产品应符合QMK-J036.1010《产品说明书技术条件》的有关要求。 6.有RoHS指令要求的物料应符合QMK-J000.1002《产品中限制使用有害物质的技术标准》。 7. 有REACH要求的物料应符合QMK-J000.1008《REACH法规要求技术标准》。																																																																																																																																		
F	Technical requirements(Ver. E,2017-03) 1. This manual(or similar material) is ____brand, which is to change the basic manual's trade mark, model and data. (Or: providing edition to new customer) 2. The front page and inside page trade mark are dimensioned in the drawing above(or similar material) , the color is Pantone: (undimensioned font and pattern printing color is black) 3. The manual's dimension is:(directly list the actual dimension width * hight,common occasion is A4) 4. This manual is available to the ____brand's ____unit. 5. Finished manuals shall comply with the relevant requirements QMG-J53.021 technical requirementsfor Product Manual. 6. Materials subject to ROHS shall comply with QML-J11.006 Technical Standard for Restricted Hazardous Substance in the Products of MIDEA.																																																																																																																																		
G	16122000A59894																																																																																																																																		
H					MIDEA-KFR26W/BP3N8-X133(RD0)-GW-0305 (X1板金PRIME系列MA2,9-24K通用,希腊客户)																																																																																																																														
					产品信息卡																																																																																																																														
	标记	处数	更改文件号	签 字	日 期	材料 铜版纸157g/m ²																																																																																																																													
	绘 图	王承荣	审 核	何伟	图 样 标 记	重 量 比 例																																																																																																																													
	设 计	王承荣	标 准 化	何伟	K	1:1																																																																																																																													
	校 对		审 定		共 1 页	第 1 页																																																																																																																													
会 签	夏云	日 期	2020.01.07	广东美的制冷设备有限公司																																																																																																																															
	1	2	3	4	5	6																																																																																																																													